



Abcite®

Corrosion Protection



Making playgrounds a safer place for children

Contractor:

McDonald's, of Lys-les-Lannoy, near Roubaix, France and of Fribourg, Switzerland

Project:

To protect the perforated sheet metal structures of McDonald's playground installations against corrosion resulting from ultraviolet rays, moisture and pollution, the constructor decided to use Abcite®, a thermoplastic coating powder from DuPont. The product was also chosen for its soft feel and evenness, which helps eliminate possible injury to children.

Problem:

When fastening sheet metal with screws, the pressure that is exerted may damage conventional adhesive layers such as paint, plastics or shrink film, thus exposing the underlying metal structure to corrosion. In fact, even galvanised steel cannot withstand corrosion forever. In open-air playgrounds, which are continuously exposed to sun, rain, industrial

pollution and engine exhausts, the deterioration of the installations may occur at a rapid pace and require a costly replacement. In addition, a run-down playgrounds is far from being an incentive for visitors to come along with children.

Solution

To avoid damage, McDonald's turned to Abcite®. The product belongs to the new DuPont family of thermoplastic reversible cross-linked copolymer powder coatings, which are easily applied electrostatically after preheating the metal parts. In this particular case, the sheet metal was coated using the fluidised bed dipping process. Good edge coverage of the perforated plates, which form the tower compartments leading to the toboggans, was obtained in a single application, with a 600 µm thick, durable layer of Abcite®. This made it possible to achieve an even and smooth, but firmly adhering, non-porous and thus impermeable surface.

The advantages of such an installation are an attractive and safe playground for children and a sound investment for the contractor.

Features and Benefits:

- Abcite® adheres firmly to most intricate shapes and surfaces.
- Its outstanding resistance to impact (even at very low temperatures), to abrasion and excellent edge coverage, prevent corrosion and therefore deterioration of the coating.
- It has good adhesion to metal and excellent chemical resistance in aggressive environments.
- Abcite® will not chip or flake-off under long exposure to UV and thermal cycles.
- All this allows the part to keep its original look, and results in maintenance cost savings to the end user while making this playground a safer place.

Application case history

For further information on Abcite[®], please contact:

Benelux

Duracoat
Nijverheidstraat 34
B-2620 Hemiksem
Tel. +32 3 887 90 41
Fax. +32 3 887 11 12

France & Eastern Countries

Groupe Arnaud
68, Av. Du Général Michel Bizot
F-75012 Paris
Tel. +33-1-44 73 11 30
Fax. +33-1-44 73 10 14

Germany

DuPont Polymer Powders
Postfach 510748
D-50943 Köln
Fritz-Hecker Str.47-107
D-50968 Köln
Tel. +39 221 37 06 533
Fax. +39 221 37 06 144

Italy

Finco srl
Viale Bianca Maria, 13
20122 Milano
Tel: ++39 02 760 13 701
Fax: ++ 39 02 783 701

Spain / Portugal

DuPont Powder Coatings Iberia Sarl
Carretas Molins de Rei 83-85
E-08191 Rubí / Barcelona
Tel: ++34 93 586 0580
Fax: ++34 93 586 0583

Sweden / Norway /Denmark

Korroterm
Box 42
S-590 62 Lingham
Tel. +46 13 35 70 72
Fax. +46 13 70 544

Switzerland

Centrachem AG
Im Feld
CH-4624 Härkingen
Tel. +41 62 398 21 61
Fax. +41 62 398 02 58

United Kingdom / Eire

Mallatite Ltd
Sandfold Lane
GB-Manchester M19 3FT
Tel. +44-161 225 31 00
Fax. +44-161 257 26 25

For countries which are not listed here, please contact:

DuPont Polymer Powders SARL
25 Rue St Joseph
CH-1630 Bull
Switzerland
Tel. +41-26 913 51 11
Fax. +41-26 912 79 89

This information corresponds to our current knowledge on the subject. It is offered solely to provide possible suggestions for your own experimentation, It is not intended, however, to substitute for any testing you may need to conduct to determine for yourself the suitability of our products for your particular purposes. This information may be subject to revision as new knowledge and experience become available. Since we cannot anticipate all variations in actual end-use conditions, DuPont makes no warranties and assumes no liability in connection with any use of this information. Nothing in this publication is to be considered as a license to operate under or a recommendation to infringe any patent right. **Caution:** Do not use in medical applications involving permanent implantation in the human body. For other medical applications, see "DuPont Medical Caution Statement", H-51459.



DuPont Powder Coatings